



## Active for Later Life

### Physical activity and the prevention of falls among older people *Presentation 2*

The following are the references for the *Physical activity and the prevention of falls among older people* presentation on the CD contained in the *Active for Later Life* resource.

#### References

- Allen A, Simpson JM. 1999. A primary care based falls prevention programme. *Physiotherapy Theory and Practice*; 15: 121-35.
- American College of Sports Medicine. 1998. Position stand on exercise and physical activity for older adults. *Medicine and Science in Sports and Exercise*; 30 (6): 992-1008.
- American Geriatrics Society, British Geriatrics Society and American Academy of Orthopaedic Surgeons Panel on Falls Prevention. 2001. Guidelines for the Prevention of Falls in Older Persons. *Journal of American Geriatrics Society*; 49: 664-72.
- Bandolier. 1998. Outcome after hip fracture. *Bandolier Evidence Based Health Care*; 48: 2.
- Bouchard C, Shephard RJ, Stephens T, Sutton JR, McPherson BD. 1990. *Exercise, Fitness and Health: The Consensus Statement in Exercise Fitness and Health – A Consensus of Current Knowledge*. Champaign, Illinois: Human Kinetics.
- British Heart Foundation National Centre for Physical Activity and Health. 2002. *Someone Like Me! – Senior Peer Mentor Physical Activity Motivator Training Programme*. Loughborough: British Heart Foundation National Centre for Physical Activity and Health.
- Campbell AJ, Robertson MC, Gardner MM, et al. 1997. Randomized controlled trial of a general practice programme of home based exercise to prevent falls in elderly women. *British Medical Journal*; 315: 1065-69.
- Clinical Effectiveness Group, Feder G, Cryer C et al, 1998. *Guidelines for the Prevention of Falls in Older People. Recommendations for a Falls Prevention Programme*. London: Department of Practice and Primary Care, Queen Mary and Westfield College, London and the Injury Research Team, South East Institute of Public Health.
- Close J, Ellis M, Hooper R, Glucksman E, Jackson S, Swift C. 1999. Prevention of falls in the elderly trial (PROFET): a randomised controlled trial. *Lancet*; 353: 93-97.

- Cryer C, Patel S. 2001. *Falls, Fragility and Fractures. National Service Framework for Older People: The Case For and Strategies to Implement a Joint Health Improvement and Modernisation Plan for Falls and Osteoporosis*. The Alliance for Bone Health.
- Day L, Fildes B, Gordon I, Fitzharris MA, Flamer H, Lord S. 2002. Randomised factorial trial of falls prevention among older people living in their own homes. *British Medical Journal*; 325: 128.
- Department of Health. 1999. *Training Continuum for Physical Activity and the Prevention and Management of Falls. Commissioned by the Department of Health*. Leicester: Leicester College.
- Department of Health. 2001. *National Service Framework for Older People*. London: Department of Health.
- Department of Health. 2002. *The 2000 Health Survey for England: the Health of Older People (Aged 65+)*. London: The Stationery Office.
- Dolan P, Torgerson DJ. 2000. The cost of treating osteoporotic fractures in the United Kingdom female population (letter). *Osteoporosis International*; 11: 551-52.
- Erens B, Primatesta P, Prior G. 2001. *The Results from the Health Survey for England: The Health of Minority Ethnic Groups 1999*. London: The Stationery Office.
- Feder G, Cryer C, Donovan S, Carter Y. 2000. The Guidelines Development Group. 2000. Guidelines for the prevention of falls in people over 65. *British Medical Journal*; 321: 1007-11.
- Fiatarone MA, Marks EC, Ryan ND, Meredith CN, Lipsitz LA, Evans WJ. 1990. High intensity strength training in nonagenarians. *Journal of the American Medical Association*; 263; 3029-34.
- Gardner MM, Robertson MC, Campbell AJ. 2000 Exercise in preventing falls and fall related injuries in older people: a review of randomised controlled trials. *British Journal of Sports Medicine*; 34: 7-17.
- Grimley-Evans J, Seagroatt V, Goldacre MJ. 1997. Secular trends in proximal femoral fracture: Oxford record linkage study area and England 1968-1986. *Journal of Epidemiology and Community Health*; 51: 424-29.
- Halter M, Close JC, Elrick A, Brain G, Swift C. 2000. *Falls in the Older Population: A Pilot Study to Assess Those Individuals who are Attended to by the London Ambulance Service as a Result of a Fall but are not Conveyed to an Accident and Emergency Department*. London: London Ambulance Service NHS Trust.
- Health Education Authority and Sports Council. 1992. *Allied Dunbar National Fitness Survey*. London: Health Education Authority.
- Hochberg MC, Altman RD, Brandt KD, Clark BM, Dieppe PA, Griffin MR. 1995. Guidelines for the medical management of osteoarthritis. *Arthritis and Rheumatism*; 38: 1541-46.
- Hollingworth W et al. 1995. The cost of treating hip fractures in the twenty-first century. *Journal of Public Health Medicine*; 17(3): 269-76.
- Hong Y, Xian Li J, Robinson PD. 2000. Balance control, flexibility and cardiorespiratory fitness among older Tai Chi practitioners. *British Journal of Sports Medicine*; 34: 29-34.
- Kannus P, Parkkari J, Koskinen S, Niemi S, Palvanen M, Jarvinen M, Vuori I. 1999. Fall-induced injuries and deaths among older adults. *Journal of the American Medical Association*; 281 (20): 1895-99.

- King AC, Rejeski J, Buchner DM. 1998. Physical activity interventions targeting older adults – a critical review and recommendations. *American Journal of Preventative Medicine*; 15 (4): 316-33.
- Lord SR, McClean D, Strathers G. 1992. Physiological factors associated with injurious falls in older people living in the community. *Gerontology*; 38: 338-46.
- McMurdo MD, Rennie LM. 1993. A controlled trial of exercise by residents of old people's homes. *Age and Ageing*. 22: 11-15.
- McMurdo MD, Rennie LM. 1994. Improvements in quadriceps strength with regular seated exercise in the institutionalised elderly. *Archives of Physical Medicine Rehabilitation*; 75: 600-03.
- Millar AM, McMurdo MET. 1999. A trial of falls prevention. *Age and Ageing*; 28: 9.
- Mills E. 1994. The effect of low-intensity aerobic exercise on muscle strength, flexibility and balance among sedentary older persons. *Nursing Research*; 43: 207-11.
- Nicholson CM, Czernwicz S, Mandilas G, Rudolph I, Greyling MJ. 1997. The role of chair exercises following hip fracture. *South African Medical Journal*; 87: 1131-38.
- Province MA, Hadley EC, Hornbrook MC et al. 1995. The effects of exercise on falls in elderly patients. A preplanned meta-analysis of the FICSIT trials. *Journal of the American Medical Association*; 273: 1341-47.
- Roberston MC, Gardner MM, Devlin N, McGee R, Campbell AJ. 2001. Effectiveness and economic evaluation of a nurse delivered home exercise programme to prevent falls. 1 Randomised controlled trial, and 3 Controlled trial in multiple centres. *British Medical Journal*; 322: 1-5 and 697-702.
- Rutherford OM. 1999. Is there a role for exercise in the prevention of osteoporotic fractures? *British Journal of Sports Medicine*; 33: 378-86.
- Simey P, Pennington B. 1999. *Physical Activity and the Prevention and Management of Falls and Accidents among Older People: Guidelines for Practice*. London: Health Education Authority.
- Simpson JM. 1996. Guidelines for the collaborative, rehabilitative management of older people who have fallen. Version 10b. London: Division of Geriatric Medicine, St George's Hospital Medical School.
- Skelton DA, Dinan SM. 1999. Exercise for falls management: Rationale for an exercise programme to reduce postural instability. *Physiotherapy: Theory and Practice*; 15: 105-20.
- Skelton DA, McLaughlin A. 1996. Training functional ability in old age. *Physiotherapy*; 82 (3): 159-67.
- Skelton DA, Young A, Greig CA, Malbut K. 1995. Effects of resistance training on strength, power and selected functional abilities of women aged 75 and over. *Journal of the American Geriatric Society*; 43: 1081-87.
- Skelton DA, Young A, Walker A, Hoinville E. 1999. *Physical Activity in Later Life – Further Analysis of the Allied Dunbar National Fitness Survey and the Health Education Authority Survey of Activity and Health*. London: Health Education Authority.
- Skelton DM. 2001. Balance Exercise and Falls Prevention – FaME into Practice. Exploratory workshop on interventions for fall prevention. Brussels 4 – 5<sup>th</sup> April 2001.
- Spiriduso W. 1995. *Physical Dimensions of Aging*. Champaign, Illinois: Human Kinetics.

- Stewart A. 2001. Community based physical activity programs for adults age 50 and older. *Journal of Aging and Physical Activity*; 9 (Suppl): S71-S91.
- Tinetti M, Doucetter J, Claus E, Maratoli R. 1995. Risk factors for serious injury during falls by older persons in the community. *Journal of the American Geriatrics Society*; 45: 1214-21.
- Tinetti ME, Baker DI, McAvay MS, et al. 1994. A multi-factorial intervention to reduce the risk of falling among elderly people living in the community. *New England Journal of Medicine*; 331: 821-27.
- US Department of Health and Human Services. 1996. *Physical Activity and Health: A Report from the US Surgeon General*. Atlanta, Georgia: Centers for Disease Control and Prevention.
- Wolf SL, Barnhart HX, Ellison GL, Coogler CE. 1996. The effect of Tai Chi Quan and computerized balance training on postural stability in older subjects. *Physical Therapy*; 77 (4): 371-81.
- World Health Organization. 1996. *The Heidelberg Guidelines for Promoting Physical Activity Among Older Persons*. Geneva: World Health Organization.
- Young A. 1986. Exercise physiology in geriatric practice. *Acta Medica Science Supplement*; 711: 227-32.